

Temperature	Resistance	Temperature	Resistance	Temperature	Resistance
-40	188.5	19	12.56	78	1.765
-39	178.5	20	12.09	79	1.716
-38	169.0	21	11.63	80	1.668
-37	160.2	22	11.20	81	1.622
-36	151.9	23	10.78	82	1.577
-35	144.1	24	10.38	83	1.533
-34	136.7	25	10.00	84	1.492
-33	129.8	26	9.632	85	1.451
-32	123.3	27	9.281	86	1.412
-31	117.1	28	8.944	87	1.373
-30	111.3	29	8.622	88	1.336
-29	105.7	30	8.313	89	1.301
-28	100.5	31	8.014	90	1.266
-27	95.52	32	7.728	91	1.232
-26	90.84	33	7.454	92	1.200
-25	86.43	34	7.192	93	1.168
-24	82.26	35	6.940	94	1.137
-23	78.33	36	6.699	95	1.108
-22	74.61	37	6.467	96	1.079
-21	71.10	38	6.245	97	1.051
-20	67.77	39	6.032	98	1.024
-19	64.57	40	5.827	99	0.9984
-18	61.54	41	5.629	100	0.9731
-17	58.68	42	5.438	101	0.9484
-16	55.97	43	5.255	102	0.9246
-15	53.41	44	5.080	103	0.9014
-14	50.98	45	4.911	104	0.8789
-13	48.68	46	4.749	105	0.8572
-12	46.50	47	4.593	106	0.8360
-11	44.43	48	4.443	107	0.8155
-10	42.47	49	4.299	108	0.7956
-9	40.57	50	4.160	109	0.7763
-8	38.77	51	4.026	110	0.7576
-7	37.06	52	3.896		
-6	35.44	53	3.771		
-5	33.90	54	3.651		
-4	32.44	55	3.536		
-3	31.05	56	3.425		
-2	29.73	57	3.318		
-1	28.48	58	3.215		
0	27.28	59	3.116		
1	26.13	60	3.020		
2	25.03	61	2.927		
3	23.99	62	2.838		
4	23.00	63	2.751		
5	22.05	64	2.668		
6	21.15	65	2.588		
7	20.30	66	2.511		
8	19.48	67	2.436		
9	18.70	68	2.364		
10	17.96	69	2.295		
11	17.24	70	2.228		
12	16.56	71	2.163		
13	15.90	72	2.100		
14	15.28	73	2.039		
15	14.69	74	1.980		
16	14.12	75	1.924		
17	13.58	76	1.869		
18	13.06	77	1.816		